




# APPLICATIONS

## FLOTATION PROCESS

FLOTATION PROCESS

FROTH FLOTATION PROCESS



Outotec

### EQUIPMENT

3 + 1 Blowers type 600-06

FLOW PER UNIT: 17.000 Nm<sup>3</sup>/h

Pressure: 700 mbar

START UP - 2003

Motor: 315 Kw

Direct drive: 1986 r.p.m

SITE - Chuquicamata, Chile / CUSTOMER - Outotec



CONTINENTAL INDUSTRIE

[www.continental-industrie.se](http://www.continental-industrie.se)

Ref. FLO-001






# APPLICATIONS

## FLOTATION PROCESS

FLOTATION PROCESS | FROTH FLOTATION PROCESS



### EQUIPMENT

2 Blowers type 600-04

FLOW PER UNIT: 30.600 m<sup>3</sup>/h

Pressure: 480 mbar

START UP - 2004

Motor: 630 Kw

Direct drive: 3.600 r.p.m



SITE - Sossego, Brazil / CUSTOMER - Outokumpu



CONTINENTAL INDUSTRIE

[www.continental-industrie.se](http://www.continental-industrie.se)

Ref. FLO-002







# APPLICATIONS

## FLOTATION PROCESS

FLOTATION PROCESS

FROTH FLOTATION PROCESS



### EQUIPMENT

2 Blowers type 400-07

FLOW PER UNIT: 15.480 m<sup>3</sup>/h

Pressure: 40 kpa

START UP - 2004

Motor: 250 Kw

Direct drive: 3.000 r.p.m



SITE - Edernet, Mongolia/ CUSTOMER - Outokumpu



CONTINENTAL INDUSTRIE

[www.continental-industrie.se](http://www.continental-industrie.se)

Ref. FLO-003